## **File Manager Requirements**

Meeting notes:

- "File Manager" service should have a custom start-up process that differs from a normal stack User logs into NDS Labs UI
  - User presses "Browse Files", which hits a new "/api/browse" REST endpoint
     API server checks for running file manager
    - - if no file manager is found, one is started
  - User is directed to their running file manager UI
  - See VINDS-441 File Manager startup process CLOSED
  - See NDS-442 User should be able to launch/navigate to their FileManager RESOLVED
- Is the "File Manager" just a spec?
  - · There is no reason why this cannot be a spec
  - $^{\circ}~$  We may want to hide this in the UI, if it would be trivial
  - See O NDS-443 Revisit stack vs standalone RESOLVED
- Is the "File Manager" spec hidden in the catalog view?
  - · Given our "custom start" proposed above, we don't need to show this in the catalog
  - $^{\circ}\;$  That said, there is no harm in showing this in the catalog
  - Spec can be found below
- authentication?
  - $^{\circ}\;$  we will look into doing this at the ingress level
  - See NDS-308 User is prompted to authenticate when accessing their services CLOSED

Cloud Commander

```
{
   "id": "",
    "key": "cloudcmd",
    "label": "Cloud Commander",
    "description": "Cloud file manager and editor",
    "logo": "",
    "maintainer": "",
    "requiresVolume": false,
    "image": {
       "registry": "",
       "name": "coderaiser/cloudcmd",
        "tags": [
           "5.5.1-alpine",
           "5.5.1",
           "latest"
       ]
    },
    "display": "stack",
    "access": "external",
    "depends": [],
    "config": [],
    "command": null,
    "args": [ "--root", "/home/$(NAMESPACE)" ],
    "ports": [
      {
           "port": 8000,
           "protocol": "http"
       }
    ],
    "repositories": null,
    "readinessProbe": {
      "type": "",
       "path": "",
       "port": 0,
       "initialDelay": 0,
       "timeout": 0
    },
    "volumeMounts": [],
    "resourceLimits": {
       "cpuMax": 500,
       "cpuDefault": 100,
       "memMax": 1000,
       "memDefault": 50
    },
    "catalog": "user",
    "developerEnvironment": "",
    "tags": [
       "21",
       "6"
   ]
}
```